

B PANEL180TW



Tunable white soft light

The **B Panel180TW** is the most versatile powerful and ease of use tunable white panel on the market. The extra battery input can be used for emergency lighting as well. It comes with manual dimming, manual CCT and DMX. Furthermore it has high CRI, making this fixture ideal for theatre, photography and much more.

Main features

- 2.700K - 6.000K
- Dimming & CCT buttons

Applications

- Theatre
- Architainment
- Film & television
- Live entertainment
- Exhibition, museam & shops

Accessories included

- Powercable
- Removable frost, intensifier and gel frame
- Barn doors

Optical

Beam angle	120° fixed angle
Colours	2.700K - 6.000K
Refresh rate	Adaptable 1-20 kHz
Strobe	0-20 Hz
CRI	94,8Ra

Physical

W x H x D	31 x 13.0 x 9.4 x 5.9 in
W x H x D packing	15.7 x 11.4 x 7.5 in
W x H x D 2 pcs packing	16.5 x 12.6 x 16.1 in
Net weight	10,6 lbs
Gross weight	12.6 lbs
Gross weight 2 pcs	26.2 lbs
Cooling	Conventional, no fans

Mounting


Hanging	3x 0.51 in hole
Standing	n/a
2nd suspension/safety wire	1x eye on the side top of the fixture to pass a safety wire or carabiner

Control

Menu	TFT display with 4 buttons
Control	DMX512, RDM, manual dimming & CCT button
DMX mode	2/3/6 channels
Dimmer mode	16-bit dimming
In/Link	XLR 5-Pin
Zoom	N/A
Movement	One hand tilt locking

Electrical

Fixture rated power	120W
LED engine	180x white SMD LED
Input power	110V ~ 60Hz Auto switching power supply or battery input 12-24 V DC
In/Link	powerCON TRUE1 max link current: 10A
IP rating	IP20



Photometric data

